


AJD 110

John Deere
Mecc Alte
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$%

CE

2000/14/EC

&\$\$\$#/(#

ž) \$' ž'ž' D:

	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	145,00

fPQDE

GC ;) &

) & ž

fDF DE

ž&(

GC

ALTERNATOR

TRANSFER SWITCH

AJD 110

John Deere
Mecc Alte
P 602

1

Manufacturer		John Deere														
Model		4045 H														
		<table border="1"> <tr> <td>% \$ \$ ' "# "</td> <td></td> <td></td> <td></td> </tr> <tr> <td>% \$ & \$ \$ ' "</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0% + \$ \$ < DQ</td> <td></td> <td></td> <td></td> </tr> </table>			% \$ \$ ' "# "				% \$ & \$ \$ ' "				0% + \$ \$ < DQ			
% \$ \$ ' "# "																
% \$ & \$ \$ ' "																
0% + \$ \$ < DQ																
	L	4,500														
	"	106 X127														
		17:1														
	fl # 7	"# "	1500													
	fl 7	L	17,00													
		L	32,00													
Absorbed Air Discharge ReSourceKey.Text	' # "	7,00														
	' # "	159,00														
fl ' # 7	' # "	18,70														
	° C	565,00														
		12 V d.c.														
	Load	% \$ \$ i	' +) i) \$ i												
	# "	27,60	19,40	13,50												

2

		Mecc Alte		
		ECP34 - 2S/4		
	Hz	50		
	"	105,00		
7 cg'		0,80		
		3		
	fl 7	400/230		
	A	151,00		

3

		fl 7		fl 7	
	"	"	"	"	L
AJD 110	1200,00	2150,00	1050,00	1450,00	240,00
		fl 7		fl 7	
	"	"	"	"	L
AK 40	1550	3100	1057	1670	240

AJD 110

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg': U]i fy Včbfc''a cXi 'Y'
6UHyfmVUf[Yf]bdi h%, !&* ('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž' J c'h) 5'f&J k
9a Yf[YbVhrcd' di g\ 'Vi hrcb'UbX ž' gYg Z'fVčbfc''V]fV]rg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VčUhb['cZghYY''dfcj]XYg Včffcg]cb
fyg]ghbghi fZUW''Dc'mYgHY'Vča dcg]HY' dck XYf'rcdVčUhcZcfa g\][\ ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y
UbX\]b[YX'dUbY'Xccf' dfcj]XYg YUgmUWV'gg hc''Vča dcbYbrg''

'7 cbfrc''dUbY''j]g'a ci bHYX'cb'VUgYZUa Y k]h' ghY''ghUbX''@cW]HYX'Uhih'Y'f][\hg]XY'cZh'Y [YbYfUhc'f'gyhfk \Yb'mci
'cc_'Uhih'Y; Yb''GYH'Zca '5'HYfbUhc'fL

H\Y''8G9''\$&\$'j'U'ghUbXUfX'Včbfc''a cXi 'Y'Z'f'ci f [YbYfUhc'f'gyhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX'[Ug[YbYfUhc'f'gyhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
Z'Yei YbVhžj c'ž'W'fYb'ž'Yb[]b'Y'c']dfYggi fyž'Včc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj c'hg''A cXi 'Y
a cb]rcf'g'h'Y'a U]bg'gi dd'imUbX'gk]h'W'c] Yf'hc'h'Y [YbYfUhc'f'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]HY'g'cdYfUhc'bU'ghUhi g'UbX'Z]i 'hVčbX]h'cbgž'5i hca U]h'W'mg\i h]b['Xck b'h'Y; Yb''GYhUbX'[]]b['hfi Y'ž'fghi d
Z]i 'hVčbX]h'cb'cZ; Yb''GYhZ]i' fy''H\Y'@7 8'X]gd'Um]bX]W]HY'g'h'Y'Z]i 'h'

A]WčdfcW'ggcf'Včbfc''YX"
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX"
(!]bYž*('1 '% &d]]Y'X]gd'Um'

5i hca U]h'W'mifUbgZ'fg'VYk'YYb'a U]bg'fi h]h'hc'UbX [YbYfUhc'f'dck Yf'
A Ubi U'dfc[fUa a]b['cb'Z'cbhdUbY''
I gYf]Z]YbX'mgYh'i d'UbX'Vi hrcb''Uhc'i h'
F Ya cHY'ghUf'h'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7cbfrc'g' Ghcd# YgYhž'A Ubi U'ž'5i hcžHYg]ž'GHUf]ž'Vi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'h'Y'@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ h'Y'a cXi 'Ygfa YHY'f]b['X]gd'Umg''

AJD 110

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i fFYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] h' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] h' ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f j c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW'fYbH"


: 'YI J'Y'gYbgcf'WVb VY V'c'UbhY'a dYfUhi fY'Z
dfYggi fY'Z dYfVW'bH[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 h'
V'c'UbhY'a cXi 'Y k]h' I G6 V'c'UbhY'a dYfUhi fY'Z

9'YVW'VW' GUZYhm#9A 7 'V'c'UbhY'a dYfUhi fY'Z
9'YVW'VW' Vi g]bYgg'Yei]da YbH
6G'9B '*%\$!*&9A 7 'ja a i b]h'g]b'UbXUfX"
6G'9B '*%\$!*&9A 7 'Ya jgg]cb'gh'UbXUfX

'6UHYfmVWUf[Yf]g'a Ubi ZVW' fYX'k]h' gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\][\ YZ]VW'VW' 6UHYfmVWUf[Yf
a cXY'gfci hdi hJ !=VWUfUW'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfZ'% z 'J 'Zcf'%&j c'hUbX'&+Z' 'J 'Zcf'&'('J '
#bdi h% , 'I &*('j c'h57'''Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVW'VW]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'W'fYb'hgci fVW"
Dfc]bY'&(\$)' #&(\$) V'WUf[Yf'\Ug'\][\ YZ]VW'VW'cb['Z]Z'ck ZU]i fY'fUfY'Z][\hk Y][\hUbX'ck \YUhfUX]UfYX]b
UWV'cfXUbW'k]h']bYUf'U'HYfbU]h'j Yg' H\Y'VWUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb X]cXY'UW'cgg'h'Y'ci hdi h'7 cbbYVW'VWUf[Y'Z]
fY'UmV'c] VY'hk Y'Yb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi V'Y'YVW'VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW''; U] Ub]W' m]gc'UfYX]bdi hUbX'ci hdi h]m]d]W'm(_J 'Zcf'\][\ fY']UV]]h'f

AJD 110

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1057
fl "L	"	3100
fl "L	"	1670
	L	240